

Security Conditions and Requirements of the Gold Stores

Version No: 4.0

Release Date: 14/02/2022

Version Notes: updating the presentation of requirements, in addition to listing the issued amendments based on the initiative of reducing the government requirements by 30%

Chapter 1: Standard and Technical Specifications of the Security Systems

Application of Standard and Technical Specifications of Security Systems of Law No. (12) of 2016, issued in February 2022, on regulating the Security Industry in Emirate of Dubai

Chapter 2: Security Conditions and Requirements

Requirements of the Gold Stores:

| Requirements of the Visual Surveillance System – VSS | | | |
|--|---|---|---------|
| S.N | Requirement | Description | Remarks |
| 1 | at all entrances of the establishment | Identification View | |
| 2 | at all emergency exits | Identification View | |
| 3 | at all display and sale tables | Recognition View | |
| 4 | at the cash box | Recognition View | |
| 5 | at safe | Recognition View | |
| 6 | at the hall of the store | Monitoring View | |
| 7 | Uninterruptible Power Supply (UPS) | All cameras and recording devices shall be connected to uninterrupted power supply (UPS). | |
| 8 | Recordings Mood | The recording mode shall be set to at least ten frames per second per camera. | |
| 9 | Duration of the Recordings | The recordings shall be kept for at least 31 days for all cameras. | |
| 10 | System of linking and following up the integrity of VSS | Installing a system for linking and following up the integrity of VSS | |

| The Alarm System (in case of a safe is in the store) | | | |
|--|---|---|---------|
| S.N | Requirement | Description | Remarks |
| 1 | The protected areas, offices and management | All areas, including but not limited to the protected areas, offices and management areas | |

| | | | |
|---|--|---|--|
| | areas connecting directly to the store | connecting directly to the store, shall be covered by sensors so that there is no zone that can be penetrated to disrupt or disable the security system. | |
| 2 | The Glass Facades | All glass facades of the establishment shall be equipped with glass break sensors or motion detectors. | |
| 3 | The Entrances and Exits | The main and secondary entrances and emergency exits, if any, shall be equipped with magnetic keys. | |
| 4 | The Safe | The safe shall be equipped with a seismic detector sensor or motion detector sensor. | |
| 5 | The Panic Button | The cashier, seller and manager shall be provided with panic button to be used in case of any emergency. It shall be at a level that is easily accessible and is not visible at the same time for the visitors. | |

Other Requirements (in case of a safe is in the store)

| S.N | Requirement | Description | Remarks |
|-----|-------------------------|---|---------|
| 1 | Fixed Iron Window Grill | A fixed iron window grill shall be installed on all external vents (which are not in the display area such as the windows of service rooms, bathrooms and ventilation rooms). | |
| 2 | Iron Shutters | Penetration-resistant glass or films installed on the outside frame shall be used on the glass facades of the establishment to prevent penetration of the glass for at least 1.5 minutes. | |
| 3 | Locks | Locks shall be installed and approved by SIRA. | |